



ROSH

Reversion	Discription	Date	Signed
A0	First	23.12.18	Allen


正视图




侧视图



背视图



弯折示意图




PIN	SYMBOL
1	LEDA
2	LEBK
3	PWM
4	CTP_VDD(2.8V)
5	CTP_INT(1.8V)
6	CTP_SCL(1.8V)
7	CTP_SDA(1.8V)
8	CTP_RST(1.8V)
9	GND
10	GND
11	Data_0N
12	Data_0P
13	GND
14	Data_1N
15	Data_1P
16	GND
17	CLKN
18	CLKP
19	GND
20	Data_2N
21	Data_2P
22	GND
23	Data_3N
24	Data_3P
25	GND
26	TE
27	RESET
28	IOWCC
29	2.8V
30	GND

Pin	Assignment
1	CTP_VDD(2.8V)
2	CTP_INT(1.8V)
3	CTP_SCL(1.8V)
4	CTP_SDA(1.8V)
5	CTP_RST(1.8V)
6	GND

NOTES:

1. DISPLAY TYPE: 5.99" TFT, TRANSMISSIVE
2. DRIVER IC: XM91080
3. VIEWING DIRECTION: ALL
4. BACKLIGHT: 16 pcs White LED
5. BRIGHTNESS: 450cd/m2 (TYP)
6. INPUT CURRENT: VCC 2.8V (TYP)
7. OPERATING TEMP: -20° C~70° C
8. STORAGE TEMP: -30° C~80° C
9. UNDEFINED DIMENSION TOLERANCE: ±0.3mm
10. RoHS COMPLIABLY





深圳市华之洋光电科技有限公司
SHENZHEN HZY PHOTOELECTRIC TECHNOLOGY CO., LTD

Customer Ref.	Model No.	Drawing Title		HZ060UPBM01-A0			
---	Approve	Material	Unmarked Tolerance	Unit	Scale	Page	
---	Checked	LCM	±0.3	mm	--	1 of 1	
Drawing No.	Draw	Allen	Date	2023.12.18	Rev 00		